



Electronic Bench Micrometers (with output)

Willrich Precision
Ph 866-945-5742
email: sales@willrich.com

0-1" / 0-25mm Range

No. 777 0-1" (0-25mm)

The No. 777 electronic bench micrometer is especially suited for precision measurements where the work must be brought to the gage.

Work is staged between the anvil and spindle on an adjustable table, which can be raised to a selected height and locked in position by turning a knurled thumb screw on back of the base. Made of cast iron with black wrinkle finish, the base is heavily proportioned to sustain gage accuracy and assure stability in use. It stands on three machined pads.

Readability Features

- ◆ Large, right-sized, high-contrast LCD digital readout is easy to read and reduces errors
- ◆ Conventional inch or millimeter graduations standard
- ◆ Attractive no-glare black wrinkle finish on the frame

Ease-of-Handling Features

- ◆ Ring-type knurled lock nut for quick and sure locking
- ◆ Smooth friction thimble for uniform pressure

Accuracy and Long-Life Features

- ◆ Extremely hard and stable one-piece spindle
- ◆ The spindle and anvil are carbide faced for long life
- ◆ Starrett designed electronic microprocessor
- ◆ One 3-volt battery furnished for dependable power and over one year's normal usage
- ◆ Automatic OFF after 30 minutes of nonuse
- ◆ Starrett workmanship

Full-Function Action Features

- ◆ Instant inch/millimeter conversion
- ◆ "ME" millimeter model will turn on in the millimeter mode after installation of a new battery



With Standard Inch Graduations on Shell and Thimble

Catalog No.	EDP No.	Description
777XFLZ	67135	0-1"/0-25mm Range, Carbide Faces, with Case

With Standard Millimeter Graduations on Shell and Thimble

777MEXFLZ	67136	0-25mm/0-1" Range, Carbide Faces, with Case
-----------	-------	---

Cable Information

Part No.	EDP No.	Description
PT61963	66636	Computer Interface Cable Complete to PC (RS232C)
PT61768	66454	Adaptor from No. PT22938 Cable to PC (RS232C)
PT22938	64059	Shielded Cable to Nos. 761/772 Series Starrett Modules and No. PT61768 Adaptor
PT61120	65446	One 3-Volt Battery No. CR2450

- ◆ Measurement HOLD button
- ◆ Ability to zero tool at any position
- ◆ Ability to retain and return to the true zero reading of the micrometer
- ◆ PRESET button to install any reading at any position
- ◆ Ability to install minimum and maximum limits
- ◆ Output data to Starrett SPC Plus® hardware and software and to PCs
- ◆ Works well with Starrett DataSure® Wireless Data Collection Systems

Furnished in a protective case. Packed one per box with instructions.