



Steel Rules with Inch Graduations

1-144"

All rules furnished with Starrett satin chrome finish, except where noted. Additional sizes and variations available on special order.

Rules include:

- Full-Flexible
- Semi-Flexible
- Spring-Tempered
- Heavy Spring-Tempered

Key to Starrett Rule Numbering System:

Prefixes:

- C – Satin Chrome Finish
- DH – Double Hook
- H – Single Hook

Suffixes:

- E – End Graduations
- K – With Pocket Clip
- N – Narrow-Type Rule
- R – Quick-Reading
- S – Semi-Flexible
- T – Tapered End

1-4" Spring-Tempered Steel Rules with Inch Graduations

Length	Width x Thickness	Graduations	Feature Remarks	Catalog No.	EDP
1"	1/2" x 3/64"	4R – 8ths, 16ths, Quick-Reading 32nds, 64ths		*C604R-1	56464
2"	1/2" x 3/64"			*C604R-2	56465
3"	9/16" x 3/64"			*C604R-3	56466
4"	5/8" x 3/64"			*C604R-4	56467

6" Full-Flexible Steel Rules with Inch Graduations

6"	1/2" x 1/64"	3R – Quick-Reading 10ths, Aircraft Quick-Reading 50ths, 32nds and 64ths		*C303R-6	51334
		4R – 8ths, 16ths, Quick-Reading 32nds and 64ths		*C304R-6	66008
		5R – Quick-Reading 10ths, Aircraft Quick-Reading 100ths, 32nds and 64ths		*C305R-6	51347
		6R – One Side Only – Quick-Reading 10ths (.10) Top Edge; Aircraft Quick-Reading 50ths (.02) Bottom Edge	With Standard Letter of Certification†	*C305R-6 W/SLC	66880
		9R – 16ths and Quick-Reading 32nds on One Side; Quick-Reading 64ths on Reverse Side		*C309R-6	51357
		10R – Quick-Reading 32nds, 64ths on One Side Only		*C310R-6	51368
		10 – 32nds and 64ths on One Side Only	With Pocket Clip	*C310K-6	56701
		10 – 32nds One Side; 64ths on Reverse Side	With Tapered End	*C310T-6	56700
		16R – Quick-Reading 32nds, 64ths, Aircraft Quick-Reading 50ths and 100ths		*C316R-6	51374
		9R – 16ths and Quick-Reading 32nds on One Side; Quick-Reading 64ths on Reverse Side	Stainless Steel	*1309R-6	53204

6" Semi-Flexible Steel Rules with Inch Graduations

6"	3/4" x 1/50"	3R – Quick-Reading 10ths, Aircraft Quick-Reading 50ths, 32nds and 64ths		*C303SR-6	51335
		4R – 8ths, 16ths, Quick-Reading 32nds and 64ths; End Graduations in 32nds Both Ends, One Side	End Graduations	*C304SRE-6	51343

† Includes redemption card for Standard Letter of Certification (SLC).

* Indicates rules with single row of inch figures (all rules under 1" width). Rules without asterisk have double row of inch figures, and each edge represents the bottom edge reading left to right (rules 1" and wider).



H604R-6 with Reversible Hook



Steel Rules with Inch Graduations

1-144"

All rules furnished with Starrett satin chrome finish, except where noted. Additional sizes and variations available on special order.

Standard Case for 6"/150mm Rules

For added convenience and protection, all 6" and 150mm rules in 1/2" and 3/4" widths (except hook rules) are furnished at no extra cost in this attractive, protective case with see-through front.



Case with Clip

A leather-like case with pocket clip for 6" (150mm) steel rules. Rounded metal-bound edges prevent pockets from becoming worn and torn by rule corners.

Cases for 6"/150mm Rules

Description	Catalog No.	EDP
Case with Clip for 1/2" (12.7mm) Wide Rules	1612	55433
Case with Clip for 3/4" (19mm) Wide Rules	1634	55434

6" Spring-Tempered Steel Rules with Inch Graduations

Length	Width x Thickness	Graduations	Feature Remarks	Catalog No.	EDP
6"	3/4" x 3/64"	1 – 10ths, 20ths, 50ths, 100ths; 12ths, 24ths, 48ths; 16ths, 32nds, 64ths; 14ths, 28ths	See Below**	*C601-6	52639
		4R – 8ths, 16ths, Quick-Reading 32nds and 64ths	Regular Steel Finish	*604R-6	52645
			With Standard Letter of Certification†	*C604R-6	52678
			With Standard Letter of Certification†	*C604R-6 W/SLC	66884
		4R – 8ths, 16ths, Quick-Reading 32nds and 64ths End Graduations in 32nds Both Ends, One Side	End Graduations	*C604RE-6	52660
			Regular Steel Finish With Reversible Hook	*H604R-6	52667
			With Reversible Hook	*CH604R-6	52673
			Regular Steel Finish With Adjustable Double Hook	*DH604R-6	52662
			With Adjustable Double Hook	*CD604R-6	52665
			6R – Both Sides – Aircraft Quick-Reading 50ths (.02) Both Edges One Side, Quick-Reading 10ths (.10) Both Edges, Opposite Side		*C606R-6
		7R – 16ths, Quick-Reading 32nds, 64ths, Aircraft Quick-Reading 100ths		*C607R-6	52688
		16R – Quick-Reading 32nds, 64ths, Aircraft Quick-Reading 50ths, 100ths		*C616R-6	52701
		4R – 8ths, 16ths, Quick-Reading 32nds and 64ths	Stainless Steel	*1604R-6	53210
	6"	3/16" x 3/64"	10 – 32nds One Side and 64ths on Reverse Side	Regular Steel Finish; Narrow Rule	*610N-6
			Narrow Rule	*C610N-6	52696
			Regular Steel Finish; Narrow Rule with Hook	*H610N-6	52697
			Narrow Rule with Hook	*CH610N-6	52699
			11 – 64ths on One Side and 100ths on Reverse Side	Regular Steel Finish; Narrow Rule	*611N-6

† Includes redemption card for Standard Letter of Certification (SLC).

* Indicates rules with single row of inch figures (all rules under 1" width). Rules without asterisk have double row of inch figures, and each edge represents the bottom edge reading left to right (rules 1" and wider).

** 1 pattern has 12 different grads., many that are not found on usual rules. This allows the rule to be used for various purposes like laying out and cutting gear teeth (not generally used today).



Steel Rules with Inch Graduations

1-144"

All rules furnished with Starrett satin chrome finish, except where noted. Additional sizes and variations available on special order.

12" Full-Flexible Steel Rules with Inch Graduations							
Length	Width x Thickness	Graduations	Feature Remarks	Catalog No.	EDP		
12"	1/2" x 1/64"	4R – 8ths, 16ths, Quick-Reading 32nds and 64ths		*C304R-12	66009		
		5R – Quick-Reading 10ths, Aircraft Quick-Reading 100ths, 32nds and 64ths		*C305R-12	51348		
			With Standard Letter of Certification†	*C305R-12 W/SLC	66881		
		6R – One Side Only – Quick-Reading 10ths (.10) Top Edge; Aircraft Quick-Reading 50ths (.02) Bottom Edge		*C306R-12	51353		
		10R – Quick-Reading 32nds and 64ths One Side Only		*C310R-12	56429		
		16R – Quick-Reading 32nds, 64ths, Aircraft Quick-Reading 50ths and 100ths		*C316R-12	51375		
12" Semi-Flexible Steel Rules with Inch Graduations							
12"	1" x 1/50"	3R – Quick-Reading 10ths, Aircraft Quick-Reading 50ths, 32nds and 64ths		C303SR-12	51336		
		4R – 8ths, 16ths, Quick-Reading 32nds and 64ths; End Graduations in 32nds Both Ends, One Side	End Graduations	C304SRE-12	51344		
12" Spring-Tempered Steel Rules with Inch Graduations							
12"	1" x 3/64"	1 – 10ths, 20ths, 50ths, 100ths; 12ths, 24ths, 48ths; 16ths, 32nds, 64ths; 14ths, 28ths	See Note on Previous Page **	C601-12	52640		
		4R – 8ths, 16ths, Quick-Reading 32nds and 64ths	Regular Steel Finish	604R-12	52647		
			With Standard Letter of Certification†	C604R-12 W/SLC	52679		
		4R – 8ths, 16ths, Quick-Reading 32nds and 64ths; End Graduations in 32nds Both Ends, One Side	End Graduations	C604RE-12	52661		
			4R – 8ths, 16ths, Quick-Reading 32nds and 64ths	Regular Steel Finish With Reversible Hook	H604R-12	52669	
		With Reversible Hook		CH604R-12	52674		
		Regular Steel Finish With Adjustable Double Hook		DH604R-12	52664		
		6R – Both Sides – Aircraft Quick-Reading 50ths (.02) Both Edges, One Side; Quick-Reading 10ths (.10) Both Edges, Opposite Side	With Adjustable Double Hook	CD604R-12	52666		
				C606R-12	52653		
				7R – 16ths, Quick-Reading 32nds, 64ths, Aircraft Quick-Reading 100ths	C607R-12	52689	
				16R – Quick-Reading 32nds, 64ths, Aircraft Quick-Reading 50ths, 100ths	C616R-12	52702	
				4R – 8ths, 16ths, Quick-Reading 32nds and 64ths	Stainless Steel	1604R-12	53211
		3/16" x 3/64"	10 – 32nds One Side and 64ths on Reverse Side	Regular Steel Finish; Narrow Rule	*610N-12	52695	
				Narrow Rule	*C610N-12	67103	
	Regular Steel Finish; Narrow Rule with Hook			*H610N-12	52698		

† Includes redemption card for Standard Letter of Certification (SLC).

* Indicates rules with single row of inch figures (all rules under 1" width). Rules without asterisk have double row of inch figures, and each edge represents the bottom edge reading left to right (rules 1" and wider).



Steel Rules with Inch Graduations

1-144"

All rules furnished with Starrett satin chrome finish, except where noted.
Additional sizes and variations available on special order.

18" Full-Flexible Steel Rules with Inch Graduations					
Length	Width x Thickness	Graduations	Feature Remarks	Catalog No.	EDP
18"	3/4" x 1/50"	5R – Quick-Reading 10ths, Aircraft Quick-Reading 100ths, 32nds and 64ths		*C305R-18	51349
		16R – Quick-Reading 32nds, 64ths, Aircraft Quick-Reading 50ths and 100ths		*C316R-18	51376
18" Spring-Tempered Steel Rules with Inch Graduations					
18"	1-1/8" x 3/64"	4R – 8ths, 16ths, Quick-Reading 32nds and 64ths		C604R-18	52680
			With Standard Letter of Certification†	C604R-18 W/SLC	66886
			With Hook	CH604R-18	52675
24" Full-Flexible Steel Rules with Inch Graduations					
24"	3/4" x 1/50"	4R – 8ths, 16ths, Quick-Reading 32nds and 64ths		C304R-24	56645
		5R – Quick-Reading 10ths, Aircraft Quick-Reading 100ths, 32nds and 64ths		*C305R-24	51350
		16R – Quick-Reading 32nds, 64ths, Aircraft Quick-Reading 50ths and 100ths		*C316R-24	51377
24" Semi-Flexible Steel Rules with Inch Graduations					
24"	1" x 1/50"	3R – Quick-Reading 10ths, Aircraft Quick-Reading 50ths, 32nds and 64ths		C303SR-24	51338
24" Spring-Tempered Steel Rules with Inch Graduations					
24"	1-1/4" x 3/64"	4R – 8ths, 16ths, Quick-Reading 32nds and 64ths		C604R-24	52681
			With Standard Letter of Certification†	C604R-24 W/SLC	66887
			With Hook	CH604R-24	52676
			7R – 16ths, Quick-Reading 32nds, 64ths, Aircraft Quick-Reading 100ths	C607R-24	52691
24" Heavy Spring-Tempered Steel Rules with Inch Graduations					
24"	1-1/4" x 1/10"	4R – 8ths, 16ths, Quick-Reading 32nds and 64ths		C404R-24	51484
			With Hook	CH404R-24	51494
		16R – Quick-Reading 32nds, 64ths, Aircraft Quick-Reading 50ths and 100ths		C416R-24	51509
			With Hook	CH416R-24	51519
36" Full-Flexible Steel Rules with Inch Graduations					
36"	3/4" x 1/50"	5R – Quick-Reading 10ths, Aircraft Quick-Reading 100ths, 32nds and 64ths		*C305R-36	51351
		16R – Quick-Reading 32nds, 64ths, Aircraft Quick-Reading 50ths and 100ths		*C316R-36	51378

All C404R and C416R Rules furnished with hole in end for hanging.

† Includes redemption card for Standard Letter of Certification (SLC).

* Indicates rules with single row of inch figures (all rules under 1" width). Rules without asterisk have double row of inch figures, and each edge represents the bottom edge reading left to right (rules 1" and wider).





Steel Rules with Inch Graduations

1-144"

All rules furnished with Starrett satin chrome finish, except where noted.
Additional sizes and variations available on special order.

36" Spring-Tempered Steel Rules with Inch Graduations					
Length	Width x Thickness	Graduations	Feature Remarks	Catalog No.	EDP
36"	1-1/4" x 3/64"	4R – 8ths, 16ths, Quick-Reading 32nds and 64ths	With Hook	C604R-36	52682
				CH604R-36	52677
		7R – 16ths, Quick-Reading 32nds, 64ths, Aircraft Quick-Reading 100ths		C607R-36	56436
36" Heavy Spring-Tempered Steel Rules with Inch Graduations					
36"	1-1/2" x 1/10"	4R – 8ths, 16ths, Quick-Reading 32nds and 64ths	With Standard Letter of Certification† With Hook	C404R-36	51485
				C404R-36 W/SLC	66888
		16R – Quick-Reading 32nds, 64ths, Aircraft Quick-Reading 50ths and 100ths	With Hook	C416R-36	51510
				CH416R-36	51520
48" Spring-Tempered Steel Rules with Inch Graduations					
48"	1-1/4" x 3/64"	4R – 8ths, 16ths, Quick-Reading 32nds and 64ths		C604R-48	52683
		7R – 16ths, Quick-Reading 32nds, 64ths, Aircraft Quick-Reading 100ths		C607R-48	56437
48-144" Heavy Spring-Tempered Steel Rules with Inch Graduations					
48"		4R – 8ths, 16ths, Quick-Reading 32nds and 64ths	With Standard Letter of Certification† With Hook	C404R-48	51486
				C404R-48 W/SLC	66889
		16R – Quick-Reading 32nds, 64ths, Aircraft Quick-Reading 50ths and 100ths	With Hook	CH404R-48	51496
				C416R-48	51511
72"		4R – 8ths, 16ths, Quick-Reading 32nds and 64ths	With Hook	CH416R-48	51521
				C404R-72	51488
		16R – Quick-Reading 32nds, 64ths, Aircraft Quick-Reading 50ths and 100ths	With Hook	CH404R-72	51498
96"	1-1/2" x 1/10"	4R – 8ths, 16ths, Quick-Reading 32nds and 64ths	With Hook	C416R-72	51513
				CH416R-72	51523
		16R – Quick-Reading 32nds, 64ths, Aircraft Quick-Reading 50ths and 100ths	With Hook	C404R-96	56191
120"		4R – 8ths, 16ths, Quick-Reading 32nds and 64ths	With Hook	CH404R-96	56474
				C416R-96	56197
		16R – Quick-Reading 32nds, 64ths, Aircraft Quick-Reading 50ths and 100ths	With Hook	CH416R-96	56477
144"		4R – 8ths, 16ths, Quick-Reading 32nds and 64ths	With Hook	C404R-120	56192
				CH404R-120	56475
		16R – Quick-Reading 32nds, 64ths, Aircraft Quick-Reading 50ths and 100ths	With Hook	C416R-120	56198
144"		4R – 8ths, 16ths, Quick-Reading 32nds and 64ths	With Hook	CH416R-120	56478
				C404R-144	56193
		16R – Quick-Reading 32nds, 64ths, Aircraft Quick-Reading 50ths and 100ths	With Hook	CH404R-144	56476
				C416R-144	56199
			With Hook	CH416R-144	56479


All C404R and C416R Rules furnished with hole in end for hanging.
† Includes redemption card for Standard Letter of Certification (SLC).



Millimeter Graduation Styles

30


- First Edge: None
- Second Edge: 1/2mm
- Fourth Edge: 1/2mm
- Third Edge: mm



35


Reads both left-to-right and right-to-left. A Starrett original feature.

- First Edge: mm
- Second Edge: 1/2mm
- Fourth Edge: mm
- Third Edge: 1/2mm




35E

- First Edge: mm
- End Graduations: mm
- Second Edge: 1/2mm
- Fourth Edge: mm
- Third Edge: 1/2mm




37

- First Edge: mm
- Second Edge: 1/2mm
- Fourth Edge: 1/2mm
- Third Edge: mm



37E

- First Edge: mm
- End Graduations: mm
- Second Edge: 1/2mm
- Fourth Edge: 1/2mm
- Third Edge: mm



NOTE: All rules under 25mm in width have single row of millimeter figures. Rules 25mm and wider have double row of millimeter figures, and each edge represents the bottom edge reading left to right.