



ACCESSORIES



		TELS	ALESTA	H	HG	HPA	HPD	THV	LABC + P	LBCN
TELS50 609 05 044	Pair of measuring anvils Ø 6.5 mm	•						•		
TELS52 609 05 047	Pair of measuring anvils Ø 8 mm	•			•	•	•	•	•	•
TELS53 609 05 048	Pair of measuring anvils Ø 2 mm	•			•	•	•	•	•	•
TELS53/D1 SP609 05 048 01	Pair of measuring anvils Ø 1 mm	•			•	•	•	•	•	•
TELS50-L05 SP609 05 044 01	Pair of a knife-shaped anvils	•						•		
TA-MI-301 279 901008 001	Ball probe Ø 1.00 mm	•						•		
TA-MI-302 279 901008 002	Ball probe Ø 1.250 mm	•						•		
TA-MI-303 279 901008 003	Ball probe Ø 1.50 mm	•						•		
TA-MI-304 279 901008 004	Ball probe Ø 1.75 mm	•						•		
TA-MI-305 279 901008 005	Ball probe Ø 2.00 mm	•						•		
TA-MI-306 279 901008 006	Ball probe Ø 2.032 mm	•						•		
TA-MI-307 279 901008 007	Ball probe Ø 2.20 mm	•						•		
TA-MI-308 279 901008 008	Ball probe Ø 2.25 mm	•						•		
TA-MI-309 279 901008 009	Ball probe Ø 2.50 mm	•						•		
TA-MI-310 279 901008 010	Ball probe Ø 2.75 mm	•						•		
TA-MI-311 279 901008 011	Ball probe Ø 3.00 mm	•						•		
TA-MI-312 279 901008 012	Ball probe Ø 3.20 mm	•						•		
TA-MI-313 279 901008 013	Ball probe Ø 3.25 mm	•						•		
TA-MI-314 279 901008 014	Ball probe Ø 3.50 mm	•						•		



TELS



Alesta



H




HG



HPA



HPD



THV








LABC + P










LABCN

ACCESSORIES



		TELS	ALESTA	H	HG	HPA	HPD	THV	LABC + P	LABCN
TA-MI-315 279 901008 015	Ball probe Ø 3.70 mm	•						•		
TA-MI-316 279 901008 016	Ball probe Ø 4.00 mm	•						•		
TA-MI-317 279 901008 017	Ball probe Ø 4.50 mm	•						•		
TA-MI-318 279 901008 018	Ball probe Ø 5.00 mm	•						•		
TA-MI-319 279 901008 019	Ball probe Ø 5.50 mm	•						•		
TA-MI-320 279 901008 020	Ball probe Ø 6.00 mm	•						•		
TA-MI-321 279 901008 021	Ball probe Ø 6.50 mm	•						•		
TA-MI-322 279 901008 022	Ball probe Ø 7.00 mm	•						•		
TA-MI-323 279 901008 023	Ball probe Ø 8.00 mm	•						•		
TA-MI-324 279 901008 024	Ball probe Ø 9.00 mm	•						•		
TA-MI-325 279 901008 025	Ball probe Ø 10.00 mm	•						•		
HPA-1 609 05 017	Pair of standard anvils			•		•	•		•	
TA-MI-350 609 05 105	Pair of anvils with radius 30 mm for gauge block					•	•		•	
TEL1 609 05 040	Anvil with tungsten carbide surface				•					
TEL6 609 05 041	Pair of anvils Ø 6.50 mm			•	•	•	•		•	•
TEL6/4 609 05 077	Pair of anvils Ø 4 mm			•	•	•	•		•	•
TEL6/6 609 05 078	Pair of anvils Ø 6 mm			•	•	•	•		•	•
TEL6/6.35 609 05 079	Pair of anvils Ø 6.35 mm			•	•	•	•		•	•

ACCESSORIES



		TELS	ALESTA	H	HG	HPA	HPD	THV	LABC + P	LABCN
TEL6/6.8 609 05 080	Pair of anvils Ø 6.8 mm			•	•	•	•		•	•
TEL6/8 609 05 081	Pair of anvils Ø 8 mm			•	•	•	•		•	•
TEL6/10 609 05 079	Pair of anvils Ø 10 mm			•	•	•	•		•	•
TULM6/L05 609 05 016	Pair of a knife-shaped anvils			•	•	•	•		•	•
TEL7 609 05 013	Pair of anvils with ball Ø 10 mm			•	•	•	•		•	•
TEL5 609 05 101	Pair of parallel attachments 25 mm			•	•	•	•		•	
TEL5E 609 05 102	Pair of parallel attachments 1"			•	•	•	•		•	
TEL5.10 612 12 002	Pair of parallel attachments 5 mm, for ext. measurement from 20 mm			•		•	•		•	
TEL5.10E 612 12 007	Pair of parallel attachments .2", for ext. measurement from .8"			•		•	•		•	
TELMA5.0 609 05 005	Pair of holders with measuring inserts TELS50, H=40 mm			•		•	•		•	
TELMA5.0/H70 SP609 05 005 01	Pair of holders with measuring inserts TELS50, H=70 mm			•		•	•		•	
TELMA5.0/H88 SP609 05 005 02	Pair of holders with measuring inserts TELS50, H=88 mm			•		•	•		•	
TELMA5.0/H55 SP609 05 005 03	Pair of holders with measuring inserts TELS50, H=55 mm			•		•	•		•	
TELMA5.0/H65 SP609 05 005 04	Pair of holders with measuring inserts TELS50, H=65mm			•		•	•		•	
TELS10 609 05 042	Pair of inserts for int. meas. >Ø10, H=20 mm	•								
TELS10/H50 609 05 043	Pair of inserts for int. meas. >Ø10, H=50 mm	•								
TELS10/H35 SP609 05 043 01	Pair of inserts for int. meas. >Ø10, H=35 mm	•								
TELS10/1.5C SP609 05 070 01	Pair of inserts for int. meas. >Ø3 mm	•								



TELS



Alesta



H



HG



HPA



HPD



THV




LABC + P







LABCN

ACCESSORIES



		TELS	ALESTA	H	HG	HPA	HPD	THV	LABC + P	LABCN
TELS11 609 05 058	Pair of inserts for int. meas. >Ø6, H=28 mm	•								
TELS11.1 609 05 103	Pair of inserts for int. meas. >Ø13, H=26 mm	•								
TELS12 609 05 060	Pair of inserts for int. meas. >Ø11, H=30 mm	•								
TELS13 609 05 033	Pair of measuring inserts flat-ball	•								
THV-10 609 05 034	Pair of inserts for internal meas. >Ø10 mm, (rigid measuring table)							•		
THV-11 609 05 032	Pair of inserts for internal meas. >Ø2.5 mm, (rigid measuring table)							•		
THV-12 609 05 035	Pair of inserts for internal meas. >Ø13 mm, (rigid measuring table)							•		
THV-15 609 05 092	Pair of inserts for internal meas. >Ø5 mm, (rigid measuring table)							•		
THV-20 609 05 037	Paire de touches mesures int. >Ø10 mm, (rigid measuring table)							•		
THV-21 609 05 038	Pair of inserts for internal meas. >Ø2.5 mm, (floating measuring table)							•		
THV-22 609 05 039	Pair of inserts for internal meas. >Ø13 mm, (floating measuring table)							•		
THV-25 609 05 091	Pair of inserts for internal meas. >Ø5 mm, (floating measuring table)							•		
THV-26 609 05 094	Pair of inserts for internal meas. >Ø10 mm, (floating measuring table)							•		
TEL16.1 609 05 088	Pair of L-shaped probes, H=25 mm, L=50 mm					•	•		•	•

ACCESSORIES



		TELS	ALESTA	H	HG	HPA	HPD	THV	LABC + P	LABCN
TEL16.2 609 05 089	Pair of L-shaped probes, H=40 mm, L=55 mm					•	•		•	•
TEL16.3 609 05 097	Pair of L-shaped probes, H=70/45 mm, L=65mm					•	•		•	•
TEL9 612 12 008	Pair of inserts for internal meas. >Ø20 mm, with air cushion			•	•					
TEL9.10 612 12 009	Pair of inserts for internal meas. >Ø10 mm, with air cushion			•	•					
TELMN9 612 11 002	Pair of inserts for internal meas. >Ø10 mm, without air cushion			•	•					
TELMA8 612 12 052	Pair of measuring devices for snap-gauges			•	•	•	•		•	
TEL75.01 298 000205 050	T-shaped measuring insert, ruby balls Ø0.335 mm					•	•		•	•
TEL75.1 298 000205 051	T-shaped measuring insert, ruby balls Ø0.455 mm					•	•		•	•
TEL75.2 298 000205 052	T-shaped measuring insert, ruby balls Ø0.530 mm					•	•		•	•
TEL75.3 298 000205 053	T-shaped measuring insert, ruby balls Ø0.620 mm					•	•		•	•
TEL75.4 298 000205 054	T-shaped measuring insert, ruby balls Ø0.725 mm					•	•		•	•
TEL75.5 298 000205 055	T-shaped measuring insert, ruby balls Ø0.895 mm					•	•		•	•
TEL75.6 298 000205 056	T-shaped measuring insert, ruby balls Ø1.100 mm					•	•		•	•
TEL75.7 298 000205 057	T-shaped measuring insert, ruby balls Ø1.350 mm					•	•		•	•
TEL75.8 298 000205 058	T-shaped measuring insert, ruby balls Ø1.650 mm					•	•		•	•
TEL75.9 298 000205 059	T-shaped measuring insert, ruby balls Ø2.050 mm					•	•		•	•
TEL75.10 298 000205 060	T-shaped measuring insert, ruby balls Ø2.550 mm					•	•		•	•
TEL75.11 298 000205 061	T-shaped measuring insert, ruby balls Ø3.200 mm					•	•		•	•
TEL75.12 298 000205 062	T-shaped measuring insert, ruby balls Ø4.000 mm					•	•		•	•



TELS



Alesta



H



HG



HPA



HPD



THV





LABC + P








LABCN

ACCESSORIES



		TELS	ALESTA	H	HG	HPA	HPD	THV	LABC + P	LABCN
TEL76.2 509 05 20 0018	Measuring insert with ruby ball Ø0.5 mm					•	•		•	•
TEL76.3 509 05 20 0019	Measuring insert with ruby ball Ø1.0 mm					•	•		•	•
TEL76.4 509 05 20 0020	Measuring insert with ruby ball Ø2.5 mm					•	•		•	•
TEL76.5 509 05 20 0021	Measuring insert with ruby ball Ø5.0 mm					•	•		•	•
TEL77.100 279 901009 001	Pair of measuring inserts with ball Ø1.00 mm					•	•		•	•
TEL77.125 279 901009 008	Pair of measuring inserts with ball Ø1.25 mm					•	•		•	•
TEL77.150 279 901009 002	Pair of measuring inserts with ball Ø1.50 mm					•	•		•	•
TEL77.175 279 901009 009	Pair of measuring inserts with ball Ø1.75 mm					•	•		•	•
TEL77.200 279 901009 003	Pair of measuring inserts with ball Ø2.00 mm					•	•		•	•
TEL77.250 279 901009 004	Pair of measuring inserts with ball Ø2.50 mm					•	•		•	•
TEL77.300 279 901009 005	Pair of measuring inserts with ball Ø3.00 mm					•	•		•	•
TEL77.350 279 901009 006	Pair of measuring inserts with ball Ø3.50 mm					•	•		•	•
TEL77.400 279 901009 007	Pair of measuring inserts with ball Ø4.00 mm					•	•		•	•
TEL77.450 279 901009 010	Pair of measuring inserts with ball Ø4.50 mm					•	•		•	•
TEL77.500 279 901009 011	Pair of measuring inserts with ball Ø5.00 mm					•	•		•	•
TEL77.550 279 901009 012	Pair of measuring inserts with ball Ø5.50 mm					•	•		•	•
TEL77.600 279 901009 013	Pair of measuring inserts with ball Ø6.00 mm					•	•		•	•
TEL77.700 279 901009 014	Pair of measuring inserts with ball Ø7.00 mm					•	•		•	•
TEL77.900 279 901009 015	Pair of measuring inserts with ball Ø9.00 mm					•	•		•	•
TEL77.1000 279 901009 016	Pair of measuring inserts with ball Ø10.00 mm					•	•		•	•

ACCESSORIES



		TELS	ALESTA	H	HG	HPA	HPD	THV	LABC + P	LBCN
TELS51 509 05 20 0027	Holder for measuring inserts M2.5	•						•		
TELS51E 509 05 20 0028	Holder for measuring inserts 4-48	•						•		
TELS51/D3.5 609 05 045	Pair of holders for measuring inserts Ø 3.5 mm	•						•		
TELS18 612 11 031	Pair of holders for measuring inserts Ø 3.5 mm	•								
TEL15 609 05 098	Pair of holders for measuring inserts Ø 3.5 mm			•	•	•	•		•	•
TEL5.0 612 11 017	Pair of holders for measuring inserts Ø 6.5 mm			•	•	•	•		•	•
TEL18 609 00 019	Pair of cone holder for int. thread measurement			•	•	•	•			
TEL16.2SP2 SP609 05 089 02	Pair of L-shaped holders for M3 Inserts					•	•		•	•
P25 276 950000 001	Electronic probe 25 mm	•						•		
P25TA 276 950001 001	Electronic probe P25 with magnetic insert	•						•		
P25TA.C 276 950001 002	Electronic probe P25 with magnetic insert, and certificate	•						•		
P25TA.1 279 950001 001	Magnetic insert for probe P25	•						•		
TA-MS-301 276 940001 004	Electronic probe 30 mm						•		•	
TA-MS-302 276 000230 001	Digital indicator 50 mm, resolution 0.001 mm	•		•	•	•	•	•	•	
TEL3C.1 276 000230 002	Digital indicator 50 mm, resolution 0.01 mm	•		•	•	•	•		•	
TEL70 706 200 14	Electronic probe for internal measurement				•					
TULM70 706 200 13	Electronic probe for internal measurement					•				
LABC-70 706 203 01	Electronic probe for internal measure- ment, (with support, without interface)						•		•	



TELS



Alesta



H




HG



HPA



HPD



THV



LABC + P



LABCN

ACCESSORIES


TA-MS-370
706 203 02

Electronic probe for internal measurement, (with support, without interface)


LABC80
709 60 001


Measuring system for taper threads, with electronic probe LABC-70.1

LABC80.1
712 04 003


Measuring system for taper threads, without electronic probe LABC-70.1

TA-MS-381
712 04 010


Measuring system for taper threads, without electronic probe LABC-70.1


TA-MS-303
609 00 035

Measuring system for cylindrical parts


TA-SU-303
612 32 003

Pair of V-shaped supports TA-MS-303


TELS5.1
602 33 004

Plate



TELS5.2
602 33 003

Plate with crossed V-grooves




TELS5.3
602 33 001

Plate with H-shaped clearance


TELS5
612 20 001

Support for plates





THV-101
602 33 002


Plate with H-shaped clearance


THV-150
609 00 005

Holder for dial test indicators


THV-100
602 15 001

Support for THV-101 + THV-150


TELMA7
602 39 007












Pair of vertically adjustable supports

TELMA7/P
602 39 005

Vertically adjustable support

TELS	ALESTA	H	HG	HPA	HPD	THV	LABC + P	LABCN
								•
					•		•	
					•		•	
								•
				•				
				•				
•								
•								
•								
•								
						•		
						•		
						•		
		•		•	•		•	•
		•		•	•		•	•

ACCESSORIES

		TELS	ALESTA	H	HG	HPA	HPD	THV	LABC + P	LABCN
	TELMA7/SP04 602 39 012			•		•	•		•	•
	TELMA7/SP05 602 39 013			•		•	•		•	•
	HG-3 709 40 032				•					
	HG-3/P 609 40 032				•					
	TA-SU-313 709 40 044					•	•		•	
	H-13 709 40 018			•						
	HG-13 709 40 016				•					
	HPA-14 709 40 033					•	•		•	
	H-6 603 00 007			•						
	THV-115 709 40 035							•		
	THV-115.1 609 40 035							•		
	TA-SU-316 709 40 041					•	•		•	•
	TA-SU-317 609 40 041					•	•		•	•
	THV-115.2 706 04 002							•		
	LABC-15 709 40 034					•	•		•	
	LABC-15.1 609 40 034					•	•		•	



TELS



Alesta



H



HG



HPA



HPD



THV
















LABC + P















LABCN

ACCESSORIES

		TELS	ALESTA	H	HG	HPA	HPD	THV	LABC + P	LABCN
	TA-SU-315 709 40 040									●
	Nano-15.1 609 40 040									●
	H-15 709 40 036			●						
	H-15.1 609 40 036			●						
	HG-15 709 40 037				●					
	HG-15.1 609 40 037				●					
	LABC-15.2 706 04 001			●	●	●	●		●	●
	LABC-15.3 708 03 007			●	●	●	●		●	●
	H-5 606 32 001			●						
	TELMN7.1 612 32 002			●		●	●		●	
	TELMN7.2 612 32 001			●	●	●	●		●	●
	TEL11 612 12 032			●		●	●		●	●
	TELMN7.2/SP01 612 23 001			●	●	●	●		●	

ACCESSORIES



		TELS	ALESTA	H	HG	HPA	HPD	THV	LABC + P	LABCN
TELMN7.2/SP02 613 07 006	V-shaped roll for cylindrical parts			•	•	•	•		•	
TELMN7.2/SP03 613 07 007	Roll for Easy-Metric gauges			•	•	•	•		•	
TELMN7.2/SP04 613 07 008	Cylindrical roll			•	•	•	•		•	
TA-SU-301 612 04 005	Supporting device for 2 points bore gauges			•	•	•	•		•	
TEL17 602 32 014	Pair of supporting plates for 2 points bore gauges <330 mm			•	•	•	•		•	
TEL17.2 602 32 016	Pair of supporting plates for 2 points bore gauges <180 mm			•	•	•	•		•	
TEL17.1 602 32 015	Supporting device for 2 points bore gauges				•					
TELMN4 602 20 013	Adjustable support for setting of reversal point			•	•	•	•		•	
TA-SU-305 709 60 003	Supporting device for gauge blocks 100-250 mm with anvils TA-MI-350					•	•		•	
TA-SU-306 612 04 008	Additional support for gauge blocks >250 mm, to be used with TA-SU-305, (to be mounted on TELMA7)					•	•		•	
TA-SU-307 709 60 004	Supporting device for gauge blocks (2 items): 1 support for gauge blocks 100-250 mm, 1 additional support for gauge blocks >250 mm									•
TULM14 708 209 140	Clamping device for external micrometers, 12-20 mm/.48"-4"					•	•		•	
TULM19 612 30 003	Holding device for depth calipers			•	•	•	•		•	



TELS



Alesta



H



HG



HPA



HPD



THV



LABC + P





LABCN

ACCESSORIES

			TELS	ALESTA	H	HG	HPA	HPD	THV	LABC + P	LABCN
	TEL5CN 612 02 008	Pair of holders for dial indicators Ø 8 mm			•		•	•			
	TEL5CNE 612 02 007	Pair of holders for dial indicators Ø 3/8"			•		•	•			•
	TULM5C 612 02 003	Holder for dial indicators Ø 8 mm					•	•		•	•
	TULM5CE 612 02 002	Holder for dial indicators Ø 3/8"					•	•		•	•
	TULM15 609 02 015	Holding device for dial test indicators					•	•		•	
	TEL14N 612 12 049	Clamping device for snap gauges					•	•		•	
	TA-SU-302 603 00 021	Alignment device for snap gauges					•	•		•	
	TEL10 612 12 023	Pair of ball attachments Ø10 mm			•	•	•	•		•	
	TEL10E 612 12 022	Pair of ball attachments Ø1/2 "			•	•	•	•		•	
	LABC20 709 60 002	Pair of holders for large size micrometers					•	•		•	
	LABC20.1 609 60 002	Holder for large size micrometers					•	•		•	
	THV-260 609 00 007	System for search of reversal point for ring gauges (DIN/ISO)							•		
	THV-261 609 00 006	System for search of reversal point for ring gauges (ANSI/ASME)							•		
	TA-SU-304 SP609 60 001 01	Supporting device for large ring gauges, (only for use with HPA-14)					•	•		•	•
	THV-180 606 25 008	Micrometer spindle for checking of dial indicators							•		
	THV-500 616 00 021	Pneumatic system for measuring force setting							•		

ACCESSORIES



		TELS	ALESTA	H	HG	HPA	HPD	THV	LABC + P	LACN
TEL14.1 606 00 004	Pair of clamping attachments H<40 mm			•	•	•	•		•	•
TEL14.2 606 00 005	Pair of clamping attachments H<60 mm			•	•	•	•		•	•
TA-SU-354 706 02 004	Pair of fast clamping attachments H<60 mm			•	•	•	•		•	•
TA-SU-355 706 02 005	Pair of fast clamping attachments H<100 mm			•	•	•	•		•	•
TA-SU-356 706 02 006	Pair of fast clamping attachments H<150 mm			•	•	•	•		•	•
TA-SU-357 706 02 007	Pair of fast clamping attachments H<200 mm			•	•	•	•		•	•
TA-SU-358 706 02 008	Pair of fast clamping attachments H<250 mm			•	•	•	•		•	•
According to type	Specific adapter for 2-point bore gauges		•							
TA-SU-451 279 906001 028	Adapter set for external micrometers		•							
TA-SU-407 279 906001 039	Adapter for 2-points bore gauges without ring Ø8-10 or 14 mm		•							
TA-SU-410 279 906001 073	Fixing bush Ø8 mm for TA-SU-407/8/9		•							
TA-SU-411 279 906001 074	Fixing bush Ø10 mm for TA-SU-407/8/9		•							
TA-SU-412 279 906001 075	Fixing bush Ø14 mm for TA-SU-407/8/9		•							
TA-SU-419 279 906001 044	Adapter for 3 points internal micrometers, Ø 25-140 mm		•							
TA-SU-420 279 906001 069	Adapter for 3 points internal micrometers, Ø 125-240 mm		•							
TA-SU-483 279 906001 091	Adapter for 3 points internal micrometers, Ø 245 - 385 mm		•							
TA-SU-484 279 906001 092	Adapter for 3 points internal micrometers, Ø >385 mm		•							



TELS



Alesta



H



HG



HPA



HPD



THV




LABC + P












LABCN

ACCESSORIES

			TELS	ALESTA	H	HG	HPA	HPD	THV	LABC + P	LABCN
	TA-SU-401 279 906001 051	Universal adapter for 2-points bore gauges, (to be mounted on mobile probe)		•							
	TA-SU-402 279 906001 052	Universal adapter for 2-points bore gauges, Ø 35-180 mm		•							
	TA-SU-403 279 906001 053	Universal adapter for 2-points bore gauges, Ø 80-330 mm		•							
	TA-SU-405 279 906001 062	Universal adapter for 2-points bore gauges, Ø 120-170 mm		•							
	TA-SU-423 279 906001 089	Universal adapter for 2-points bore gauges, Ø 170-220 mm		•							
	TA-SU-404 279 906001 054	Universal adapter for 2-points bore gauges, Ø 160-600 mm		•							
	TA-SU-414 279 906001 063	Adapter for external micrometers, and ext. groove instruments Kroeplin		•							
	TA-SU-417 279 906001 064	Pair of adapter for internal/external calipers (pair)		•							
	TA-SU-416 279 906001 065	Adapter for int. groove instruments Kroeplin		•							
	TA-SU-418 279 906001 066	Adapter for 2 points internal micrometers		•							
	TA-SU-406 279 906001 070	Support for left bore gauges		•							
	TA-SU-421 279 906001 071	Adapter for dial indicators		•							
	TA-SU-422 279 906001 072	Adapter for test indicators		•							
	TELS3.1C 279 918101 006	Extension for dial indicator, 25 mm	•								
	THV-181 601 01 002	Holder for checking dial indicators, Ø 8mm							•		
	THV-181E 601 01 001	Holder for checking dial indicators, Ø 3/8"							•		



ACCESSORIES

		TELS	ALESTA	H	HG	HPA	HPD	THV	LABC + P	LABCN
        	TEL76.6 501 04 20 0001 TEL76.7 501 04 20 0002 TEL76.1 512 12 20 0003 TELS3C 603 12 002 TELS3CE 603 12 001 TEL3.1 603 12 006 TEL3.1E 603 12 007 TULM13.2 612 02 012 TULM13.2E 612 02 013 H-32 612 06 004 TULM30.1 612 05 002 THV30.1 612 05 003 THV-200 712 12 038 LABC-TAB500 714 12 001 LABC-TAB1000 714 12 002 LABC-TAB1500 714 12 003	Extension for ball and T-shaped probes, L=7.5 mm Extension for ball and T-shaped probes, L=15 mm Holder for ball and T-shaped probes Clamping sleeve for dial indicators Ø 8 mm Clamping sleeve for dial indicators Ø3/8" Clamping sleeve for dial indicators Ø 8 mm Clamping sleeve for dial indicators Ø3/8" Dial indicator holder Ø8 mm for TA-SU-313, H-13, HG-13 Dial indicator holder Ø3/8 " for TA-SU-313, H-13, HG-13 Printer holder for Horizon Support for display unit Heidenhain ND287 Support for display unit Heidenhain ND1100 Adjustable support Table for horizontal instruments, Measuring range = 500 mm Table for horizontal instruments, Measuring range = 1000 mm Table for horizontal instruments, Measuring range = 1500 + 2000 mm								
							•		•	•
							•		•	•
							•		•	•
		•								
		•								
				•	•	•	•		•	
				•	•	•	•		•	
				•	•	•	•		•	
				•	•	•	•		•	



TELS



Alesta



H



HG



HPA



HPD



THV




LABC + P



LABCN

ACCESSORIES



TELA05A/H700
602 13 004

Support for HG2000, H=700 mm

TELA05A/H600
602 13 005

Support for HG3000, H=600 mm

TELA05A/H500
602 13 006

Support for HG4000, H=500 mm

TELA05A/H400
602 13 007

Support for HG5000, H=400 mm

TELA05A/H300
602 13 008

Support for HG6000, H=300 mm

TELA05A/H200
602 13 009

Support for HG7000, 8000 +10000, H=125 mm



**3P/0.17-3.2/
S6.5**
279 901004 101

Set of thread measuring wires with holders, Pitches 0.25-5 mm, holder bore Ø6.5 mm



TEL15/150
605 01 012

Set of probes for threads ISO 60°



TEL15/152
605 01 013

Set of probes for threads Whitworth 55°



TEL18/50S
605 01 010

Set of cones for internal thread measurement 60°



TEL18/50ES
605 01 011

Set of cones for internal thread measurement 55°



TEL75
605 01 009

Set of T-shaped measuring inserts with ruby balls



TEL76
605 01 004

Set of measuring inserts with ruby ball, for internal diameters >1 mm



TEL25D4M
609 01 002

Setting ring cones 60°



TEL25D4E
609 01 001

Setting ring cones 55°

TULM40D.INT
709 201 11

Master ring gauge Ø 40 mm with SCS certificate

**TULM40INT.
METAS**
709 201 31

Master ring gauge Ø 40 mm with Metas certificate

TELS
ALESTA
H
HG
HPA
HPD
THV
LABC + P
LABCN

ACCESSORIES

			TELS	ALESTA	H	HG	HPA	HPD	THV	LABC + P	LBCN
	TULM50D.EXT 709 201 01	Master plug gauge Ø 50 mm with SCS certificate			•	•	•	•		•	•
	TULM50EXT. METAS 709 201 21	Master plug gauge Ø 50 mm with Metas certificate			•	•	•	•		•	•
	TA-TO-004 290 000911 100	Allen key set			•	•	•	•		•	•
	TA-TO-003 290 000911 003	Allen key 1.5 mm			•	•	•	•		•	•
	TA-TO-302 514 02 20 0002	Lapping plate			•	•	•	•		•	•
	TA-TO-301 514 02 20 0001	Lapping plate	•						•		
	TA-TO-303 740 05 101	Set of abrasive oil for probe lapping	•		•	•	•	•	•	•	•
	TEL.HO500 505 05 10 0023	Protection cover for instruments 500 mm			•		•	•		•	•
	TEL.HO1000 505 05 10 0024	Protection cover for instruments 1000 mm			•		•	•		•	•
	TEL.HO1500 505 05 10 0025	Protection cover for instruments 1500 mm			•		•	•		•	•
	TEL.HO2000 505 05 10 0026	Protection cover for instruments 2000 mm			•		•	•		•	
	TEL.HO3000 505 05 10 0027	Protection cover for instruments 3000 mm				•	•	•			
	TEL.HO4000 505 05 10 0028	Protection cover for instruments 4000 mm				•					
	TEL.HO5000 505 05 10 0029	Protection cover for instruments 5000 mm				•					
	TEL.HO6000 505 05 10 0030	Protection cover for instruments 6000 mm				•					
	TEL.HO8000 505 05 10 0032	Protection cover for instruments 8000 mm				•					
	TEL70.3 351 191 0001	Display unit for TEL70 + TULM70				•	•				



TELS



Alesta



H



HG



HPA



HPD



THV



LABC + P



LABCN

ACCESSORIES

			TELS	ALESTA	H	HG	HPA	HPD	THV	LABC + P	LABCN
	EL-D80S 351 292 0011	Display unit SYLVAC D80S	•						•		
	EL-D100S 351 292 0010	Display unit SYLVAC D100S	•						•		
	TA-DU-301 351 101 1001	Display unit Quadra-Chek ND 1100, (1 Vpp) with standard foot							•		
	TA-DU-302 351 101 1011	Display unit Quadra-Chek ND 1100, (1 Vpp) with OEM foot				•	•				
	TA-DU-303 351 201 0012	Display unit Quadra-Chek ND 1100 (2 axes)					•				
	TA-DU-330 351 192 0045	Display unit Heidenhain ND287				•	•				
	TELMA31 3706 0002	Foot pedal			•			•	•	•	•
	TA-EL-301 3706 0009	Foot pedal for Quadra-chek QC110/ QC120				•	•		•		
	TA-EL-040 358 0020	Joystick									•
	TVM.O-PC/AT.9P 333 9 0003	Cable Opto-PC/AT 9 P/F 2 m						•		•	
	V-31 333 0 0003	Cable for RS232 printer			•						
	CABL.RS.1/1-9P 332 01 0001	Cable RS232 m/f, 1.8 m, VT/M/MT: Printer + V+/H: PC			•						
	TA-EL-011 358 0006	USB-RS232 Converter						•		•	•
	LABC-40 356 0010	Laser printer (USB)						•		•	•
	TA-EL-030 356 0016	Inkjet printer (USB)						•		•	•

ACCESSORIES

			TELS	ALESTA	H	HG	HPA	HPD	THV	LABC + P	LABCN
	V-30 356 0007	Printer (RS232)			•						
	V-30.7 788 000001 001	Paper rolls (5 pces)			•						
	TA-EL-001 332 10 0011	Power cable, 2 poles, Europe			•			•		•	
	TA-EL-002 332 10 0013	Power cable, 2 poles, USA/Japan			•			•		•	
	TA-EL-003 332 10 0016	Power cable, 2 poles, Australia			•			•		•	
	TA-EL-004 332 10 0014	Power cable, 2 poles, UK			•			•		•	
	TA-EL-005 616 20 003	Power cable, 2 poles, Korea			•			•		•	
	TA-EL-131 334 0020	Universal AC adapter, 9 V (without cable), Suitable for V+, H			•						
	BAT-TVM. OPTO 3705 0002	Battery					•	•		•	
	TA-EL-331 740 16 002	Ext. power supply for force display HP/LABC					•	•		•	
	TEMPCOMP-B 609 50 001	Temperature compensation system, with 2 temperature sensors						•		•	•
	TEMPCOMP-P 609 50 002	Temperature compensation system, with 3 temperature sensors						•		•	•
	TEMPCOMP-PA 609 50 003	Temperature compensation system for laboratory, with WinComp Advanced and 9 sensors, (7x temperature, 1x humidity, 1x pressure)						•		•	•
	TEMPCOMP- PA DKD 609 50 004	Temperature compensation system for laboratory, with WinComp Advanced and 9 sensors, (7x temperature, 1x humidity, 1x pressure) with DKD certificate						•		•	•



TELS



Alesta



H



HG



HPA



HPD



THV



LABC + P



LABCN

ACCESSORIES

			TELS	ALESTA	H	HG	HPA	HPD	THV	LABC + P	LABCN
	TA-SW-001 394 1 0050	Software for data transfer WinDDE			•	•	•		•		
	QM-MANAG 394 1 3201	Gauge management software						•	•	•	•
	QM-CALIP 394 1 3202	Module for inspection of calipers						•		•	•
	QM-DIAL 394 1 3203	Module for inspection of dial gauges						•	•	•	•
	QM-MICRO 394 1 3204	Module for inspection of micrometers						•		•	•
	QM-PIN 394 1 3205	Module for inspection of pins						•	•	•	•
	QM-PLAIN 394 1 3206	Module for inspection of plain gauges , Plug gauges, ring gauges, snap gauges						•	•	•	•
	QM-BLOCK 394 1 3210	Module for inspection of gauge blocks						•	•	•	•
	QM-THREAD 394 1 3212	Module for inspection of thread gauges						•	•	•	•
	QM-TTAP32 394 1 3214	Module for inspection of taper thread gauges						•		•	•
	QM-SPLINE 394 1 3213	Module for inspection of spline gauges						•		•	•
	QM-THREAD32 STARTER 394 1 3222	Starter Module for inspection of thread gauges						•	•	•	•
	QM-TTAP32 STARTER 394 1 3224	Starter Module for inspection of taper thread gauges						•		•	•
	QM-PACK32-1 394 1 3250	Starter package including, QM-MANAG Light, QM-THREAD, QM-PLAIN , no extension available						•	•	•	•
	QM-PACK32-2 394 1 3251	Standard package including: QM-MANAG, QM-PLAIN, QM-THREAD, QM-DIAL, QMCALIP, QM-MICRO						•	•	•	•